

STRUCTURAL SAFETY INSPECTION REPORT FORM

Inspection Firm or Individual Name: _____

Address: _____


Telephone Number: _____

Inspection Commenced Date: _____ Inspection Completed Date: _____

No Repairs Required Repairs are required as outlined in the attached inspection report

Building Safe Immediate Repairs Needed, restricted use

Building Unsafe



Seal

Licensed Professional,
Engineer/Architect Name: _____

License Number _____

I am qualified to practice in the discipline in which I am hereby signing. I affirm that I do not have an affiliation or other financial interest in the subject building(s).

Signature _____ Date: _____

This report has been based upon the minimum inspection guidelines for building safety inspection developed by the Palm Beach County League of Cities Building Officials Subcommittee. To the best of my knowledge and ability, this report represents an accurate appraisal of the present condition of the structure, based upon careful evaluation of observed conditions, to the extent reasonably possible

| DESCRIPTION OF STRUCTURE | | | |
|---|-----------------|--------------------|-------------|
| a. Name on Title: | | | |
| b. Street Address: | | | |
| e. Legal Description: | | | |
| d. Owner's Name: | | | |
| e. Owner's Mailing Address: | | | |
| f. Folio Number of Property on which Building is Located: | | | |
| g. Building Code Occupancy Classification: | | | |
| h. Present Use: | | | |
| i. General Description, Type of Construction: | Square Footage: | Number of Stories: | Year Built: |
| j. Special Features: | | | |
| k. Additional Comments: | | | |

1. Additions to original structure:

2. PRESENT CONDITION OF STRUCTURE

a. General alignment (Note: good, fair, poor, explain if significant):

1. Bulging:

2. Settlement:

3. Deflections:

4. Expansion:

5. Contraction:

b. Portion showing distress (Note, beams, columns, structural walls, floor, roofs, other):

c. Surface conditions - describe general conditions of finishes, noting cracking, spalling, peeling, signs of moisture penetration and stains:

d. Cracks - note location in significant members. Identify crack size as HAIRLINE if barely discernible; FINE if less than 1 mm in width; MEDIUM if between 1 and 2 mm width; WIDE if over 2 mm:

| |
|--|
| e. General extent of deterioration - cracking or spalling of concrete or masonry, oxidation of metals; rotor borer attack in wood: |
| f. Previous patching or repairs: |
| g. Nature of present loading indicate residential, commercial, other estimate magnitude: |
| h. <u>Protection from undermining</u> |

| |
|---|
| 3. INSPECTIONS |
| a. Date of notice of required inspection: |
| b. Date(s) of actual inspection: |
| c. Name and qualifications of individual submitting report: |
| d. Description of laboratory or other formal testing, if required, rather than manual or visual procedures: |
| e. Structural repair-note appropriate line: |
| 1. None required: |
| 2. Required (describe and indicate acceptance): |

| |
|-------------------------------|
| 4. SUPPORTING DATA |
| a. _____ sheet written data |
| b. _____ photographs |
| c. _____ drawings or sketches |

| |
|---|
| 5. MASONRY BEARING WALL = Indicate- good, fair, poor on appropriate lines: |
| a. Concrete masonry units: |
| b. Clay tile or terra cotta units: |
| c. Reinforced concrete tie columns: |
| d. Reinforced concrete tie beams: |
| e. Lintel: |
| f. Other type bond beams: |
| g. Masonry finishes -exterior: |
| 1. Stucco: |
| 2. Veneer: |
| 3. Paint only: |
| 4. Other (describe): |
| h. Masonry finishes - interior: |
| 1. Vapor barrier: |
| 2. Furring and plaster: |
| 3. Paneling: |
| 4. Paint only: |
| 5. Other (describe): |
| i. Cracks: |
| 1. Location - note beams, columns, other: |
| 2. Description: |
| j. Spalling: |
| 1. Location- note beams, columns, other: |
| 2. Description: |
| k. Rebar corrosion-check appropriate line: |
| 1. None visible: |
| 2. Minor-patching will suffice: |

| |
|---|
| 3. Significant-but patching will suffice: |
| 4. Significant-structural repairs required: |
| 1. Samples chipped out for examination in spall areas: |
| 1. No: |
| 2. Yes - describe color, texture, aggregate, general quality: |

| |
|---|
| 6. FLOOR AND ROOF SYSTEM AND WATERPROOFING |
| a. Roof: |
| 1. Describe (flat, slope, type roofing, type roof deck, condition): |
| 2. Note water tanks, cooling towers, air conditioning equipment, signs, other heavy equipment and condition of support: |
| 3. Note types of drains and scuppers and condition: |
| b. Floor system(s): |
| 1. Describe (type of system framing, material, spans, condition): |
| c. Inspection - note exposed areas available for inspection, and where it was found necessary to open ceilings, etc. for inspection of typical framing members: |
| d. <u>Waterproofing</u> <u>Have finishes been added after construction?</u> <u>Yes</u> <u>No</u> <u>For waterproofing inspection findings, add Supplemental Inspection Report</u> |

7. STEEL FRAMING SYSTEM

a. Description:

b. Exposed Steel- describe condition of paint and degree of corrosion:

c. Concrete or other fireproofing - note any cracking or spalling and note where any covering was removed for inspection:

d. Elevator sheave beams and connections, and machine floor beams - note condition:

8. CONCRETE FRAMING SVSTEM

a. Full description of structural system:

b. Cracking:

1. Not significant:

2. Location and description of members affected and type cracking:

c. General condition:

d. Rebar corrosion - check appropriate line:

1. None visible:

2. Location and description of members affected and type cracking:

3. Significant but patching will suffice:

| |
|--|
| 4. Significant - structural repairs required (describe): |
| e. Samples chipped out in spall areas: |
| 1. No: |
| 2. Yes, describe color, texture, aggregate, general quality: |

| |
|---|
| 9.WINDOWS |
| a. Type (Wood, steel, aluminum, jalousie, single hung, double hung, casement, awning, pivoted, fixed, other): |
| b. Anchorage- type and condition of fasteners and latches: |
| c. Sealant - type of condition of perimeter sealant and at mullions: |
| d. Interiors seals - type and condition at operable vents: |
| e. General condition: |

| |
|--|
| 10. WOOD FRAMING |
| a. Type - fully describe if mill construction, light construction, major spans, trusses: |
| b. Note metal fitting i.e., angles, plates, bolts, split pintles, other, and note condition: |
| c. Joints - note if well fitted and still closed: |
| d. Drainage - note accumulations of moisture: |
| e. Ventilation - note any concealed spaces not ventilated: |
| f. Note any concealed spaces opened for inspection: |
| 11. Areas of Other Concerns: |